


dams 



0151 548 7111  
sales@dams.com  
www.dams.com



Sales  
enquiries

# Fabric Operator Chairs



**XL**

**High**

## MECHANISMS

- Gas lift adjustment
- Back rake adjustment
- Back height ratchet adjustment
- Independent seat tilt adjustment

## OPTIONS

- No arms, fixed arms, height adjustable arms or adjustable folding arms
- Adjustable lumbar pump
- Seat slide
- Chrome base





INLOOM | ERIKA | 6071

## 24hr Ergonomic Chairs



590

520

500

### FEATURES & MECHANISMS

- Gas lift adjustment
- Back rake adjustment
- Back height ratchet adjustment
- Weight tension control
- Adjustable lumbar pump
- Seat depth adjustment
- Height adjustable arms

### OPTIONS

- Independent seat tilt adjustment (SXERGOB only)



1120-1250

680



590

650

540-670



## Mesh Back Operator Chairs



Draughtsman



Operator

### MECHANISMS

- Gas lift adjustment
- Back rake adjustment
- Back height ratchet adjustment

### OPTIONS

- No arms, fixed arms or height adjustable arms
- Seat slide (operator only)
- Chrome base (operator only)



470-600  
(550-880 Draughtsman)



CAMIRA | ERA | CSE20 AEON

## Cantilever Visitor Chair



### FEATURES

- Chrome cantilever frame
- Fixed arms



# Cantilever Chairs



## OPTIONS

Black and Chrome base  
Black and Dove Grey shell



# Senza

## SEATING FAMILY

Comfort, reliability and affordability are the key attributes of the Senza operator and visitor chairs, with their curvaceous profile and vast array of options that deliver style as well as substance. Equipped with ergonomic features, a high back, extra high back and mesh back options together with draughtsman and visitor chairs, this seating family easily provides the comfort needed for a long day at work.

Ideal for working at a desk or a computer providing maximum support

Choose your back style and mechanism to support the way you work

Help improve productivity when sat down for long periods

CMHR high resilience, flexible foam seats for enhanced comfort

This range of products are designed and manufactured to conform to the following standards:

**EN1335-1:2000, EN1335-2:2009, BS 5459-2:2000+A2:2008**

